

**itl boulder**  
THE LIGHT CENTER OF THE INDUSTRY SINCE 1955

INDEPENDENT TESTING LABORATORIES, INC.  
3386 LONGHORN ROAD, BOULDER, CO 80302 USA

PHONE: (303)442-1255 • FAX: (303)449-5274 • E-MAIL: [itl@itlboulder.com](mailto:itl@itlboulder.com) • WEBSITE: [www.itlboulder.com](http://www.itlboulder.com)  
REPORT NUMBER: ITL63766

DATE: 01/04/10  
REVISED: 02/02/10  
PAGE 1

PREPARED FOR: B-K LIGHTING, INC.

CATALOG NUMBER: NS-LED-e23-MFL-13; AR-LED-TR-e23-MFL-13-C; AR-LED-RM-e23-MFL-13-C;  
DS-LED-e23-MFL-13; RM-LED-e23-MFL-13-C; SN-LED-e23-MFL-13-C;  
ST-LED-e23-MFL-13-C; SF-LED-e23-MFL-13-C; TF-LED-e23-MFL-13-C;  
WS-LED-e23-MFL-13; AW-LED-e23-MFL-13; SW-LED-e23-MFL-13; VS-LED-e23-MFL-13;  
VQ-LED-e23-MFL-13; GD-LED-e23-MFL-13; GQ-LED-e23-MFL-13; EC-LED-e23-MFL-13;  
ED-LED-e23-MFL-13; SM-AR-LED-e23-MFL-13-C

LUMINAIRE: MACHINED CYLINDRICAL METAL HOUSING, ONE CIRCUIT BOARD WITH 3 LEDS, ONE  
CLEAR CONICAL PLASTIC OPTIC PER LED WITH FROSTED SURFACE OPPOSITE LED, MOLDED  
BLACK PLASTIC OPTIC MOUNTING FRAME, CLEAR FLAT LINEAR PRISMATIC GLASS LENS IN  
MACHINED WHITE PAINTED CYLINDRICAL METAL FRAME WITH UNFINISHED INTERIOR, LENS  
PRISMS OUT AND VERTICAL.

LAMPS: THREE 2.5-WATT WHITE LIGHT EMITTING DIODES (LEDs) EACH WITH CLEAR  
HEMISPHERICAL INTEGRAL PLASTIC LENS, LEDS AIMED AT THE HORIZON.

TOTAL INPUT WATTS = 8.5 AT 12.0 VOLTS

LED DRIVER: INTEGRAL


NOTE: DATA SHOWN IS ABSOLUTE FOR THE SAMPLE PROVIDED AT RATED INPUT VOLTAGE (12VAC,  
60Hz) TO THE LED DRIVER. LAMP INFORMATION PROVIDED BY CLIENT.

TEST PROCEDURE: IESNA LM-79-08

TEST DISTANCE = 25.25 FEET


#### FLOODLIGHT CHARACTERISTICS

IES TYPE	5H X 4V				
MAXIMUM CANDLEPOWER	743.	AT	0.0 H,	-1.0 V	
HORIZONTAL BEAM ANGLE (50%)	46.9 deg				AXIAL CANDLEPOWER
VERTICAL BEAM ANGLE (50%)	23.1 deg				
HORIZONTAL FIELD ANGLE (10%)	82.6 deg				DEG
VERTICAL FIELD ANGLE (10%)	48.6 deg				HORIZ.
BEAM LUMENS (% FIXTURE)	134. ( 44.9 % )				DEG
FIELD LUMENS (% FIXTURE)	253. ( 84.8 % )				VERT.
TOTAL LUMENS (% FIXTURE)	299. (100.0 % )				
EFFICACY = 35.2 Lm/W					



Checked ..... *N WHITE* .....

Approved ..... *R BEATTIE* .....



**itl boulder**  
THE LIGHT CENTER OF THE INDUSTRY SINCE 1955

INDEPENDENT TESTING LABORATORIES, INC.  
3386 LONGHORN ROAD, BOULDER, CO 80302 USA

PHONE: (303)442-1255 • FAX: (303)449-5274 • E-MAIL: [itl@itlboulder.com](mailto:itl@itlboulder.com) • WEBSITE: [www.itlboulder.com](http://www.itlboulder.com)

REPORT NUMBER: ITL63766  
PREPARED FOR: B-K LIGHTING, INC.

DATE: 01/04/10  
REVISED: 02/02/10

CANDELA TABULATION

PAGE 2

AVERAGE OF RIGHT AND LEFT SIDES

	0.0	1.0	3.0	5.0	7.0	9.0	11.0	13.0	15.0	17.0	19.5	22.5	25.5	29.0	33.0	37.5	42.5	47.5	55.0	65.0	75.0	85.0	90.0
90.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
85.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
75.0	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	0.	0.	0.
65.0	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	1.	1.	0.	0.
55.0	4.	4.	4.	4.	4.	4.	4.	4.	3.	3.	3.	3.	3.	3.	3.	3.	3.	2.	2.	2.	1.	0.	0.
47.5	6.	6.	6.	6.	6.	6.	6.	6.	6.	6.	5.	5.	5.	5.	5.	4.	3.	3.	3.	2.	2.	0.	0.
42.5	9.	9.	9.	9.	9.	9.	9.	8.	8.	8.	8.	7.	7.	7.	6.	6.	4.	3.	3.	3.	2.	0.	0.
37.5	14.	14.	13.	13.	13.	13.	13.	13.	13.	12.	12.	11.	11.	10.	9.	8.	6.	4.	3.	3.	2.	0.	0.
33.0	22.	22.	22.	22.	21.	21.	21.	21.	20.	20.	19.	18.	16.	15.	13.	11.	9.	6.	4.	3.	2.	0.	0.
29.0	36.	37.	37.	36.	35.	34.	34.	33.	32.	31.	29.	27.	25.	22.	19.	16.	12.	7.	4.	4.	3.	0.	0.
25.5	57.	57.	57.	56.	55.	54.	52.	51.	49.	47.	44.	41.	37.	32.	27.	22.	16.	9.	5.	4.	3.	0.	0.
22.5	85.	85.	84.	83.	81.	79.	77.	74.	71.	68.	63.	57.	51.	44.	36.	28.	20.	11.	5.	4.	3.	1.	0.
19.5	126.	126.	125.	122.	120.	116.	112.	108.	103.	97.	90.	81.	72.	61.	49.	37.	25.	14.	6.	5.	3.	1.	0.
17.0	174.	174.	172.	169.	165.	160.	154.	147.	140.	132.	121.	108.	95.	79.	62.	45.	31.	17.	6.	5.	3.	1.	0.
15.0	225.	224.	222.	218.	212.	205.	197.	188.	179.	168.	154.	136.	118.	97.	75.	54.	36.	19.	6.	5.	3.	1.	0.
13.0	287.	286.	283.	278.	270.	261.	250.	238.	226.	211.	193.	169.	145.	118.	90.	63.	40.	22.	7.	5.	3.	0.	0.
11.0	361.	360.	356.	348.	338.	326.	312.	296.	280.	262.	238.	208.	176.	142.	106.	72.	45.	24.	7.	5.	3.	0.	0.
9.0	443.	443.	438.	428.	416.	399.	381.	362.	341.	318.	288.	250.	210.	167.	122.	82.	50.	26.	7.	6.	3.	0.	0.
7.0	531.	530.	523.	511.	496.	476.	453.	429.	405.	376.	339.	293.	244.	192.	138.	91.	54.	28.	8.	6.	3.	1.	0.
5.0	614.	613.	605.	592.	572.	548.	522.	494.	465.	432.	388.	333.	276.	214.	152.	99.	58.	31.	8.	6.	4.	1.	0.
3.0	684.	683.	673.	657.	636.	609.	579.	547.	514.	477.	428.	366.	302.	233.	164.	105.	61.	31.	8.	6.	3.	1.	0.
1.0	729.	728.	718.	700.	677.	647.	615.	581.	546.	507.	454.	387.	319.	244.	171.	109.	63.	32.	8.	6.	4.	1.	0.
0.0	740.	738.	728.	711.	687.	657.	624.	590.	554.	514.	460.	392.	323.	247.	173.	110.	63.	32.	8.	6.	4.	1.	0.
-1.0	743.	741.	731.	713.	689.	659.	626.	592.	556.	515.	462.	394.	324.	248.	173.	110.	63.	32.	8.	6.	4.	1.	0.
-3.0	723.	721.	711.	694.	671.	641.	610.	577.	542.	502.	450.	385.	317.	243.	170.	108.	63.	32.	8.	6.	4.	1.	0.
-5.0	672.	670.	662.	646.	624.	598.	569.	538.	506.	470.	422.	362.	299.	231.	162.	104.	61.	31.	8.	6.	4.	1.	0.
-7.0	599.	598.	590.	576.	558.	535.	509.	483.	454.	423.	380.	328.	273.	212.	151.	98.	57.	29.	8.	6.	4.	1.	0.
-9.0	514.	513.	506.	494.	479.	460.	439.	417.	396.	366.	331.	287.	241.	189.	136.	90.	53.	27.	8.	6.	4.	1.	0.
-11.0	425.	426.	420.	412.	399.	384.	367.	349.	329.	308.	279.	244.	206.	164.	120.	80.	49.	25.	8.	6.	4.	1.	0.
-13.0	344.	344.	339.	333.	323.	312.	298.	284.	269.	252.	230.	202.	172.	139.	103.	71.	44.	23.	7.	6.	3.	1.	0.
-15.0	272.	271.	269.	263.	256.	248.	237.	227.	215.	202.	185.	164.	141.	115.	88.	61.	39.	20.	7.	6.	3.	1.	0.
-17.0	211.	211.	209.	205.	200.	194.	186.	178.	170.	160.	147.	131.	114.	95.	73.	52.	34.	18.	7.	6.	3.	1.	0.
-19.5	152.	152.	150.	148.	145.	140.	135.	130.	124.	117.	109.	98.	86.	73.	57.	42.	28.	15.	6.	5.	3.	1.	0.
-22.5	101.	101.	100.	99.	97.	95.	92.	89.	85.	81.	76.	69.	61.	52.	42.	32.	22.	12.	5.	5.	3.	1.	0.
-25.5	68.	68.	67.	67.	65.	64.	62.	60.	58.	56.	52.	48.	43.	38.	31.	25.	17.	10.	5.	5.	3.	0.	0.
-29.0	43.	43.	43.	43.	42.	41.	40.	39.	38.	36.	34.	32.	29.	25.	22.	18.	13.	8.	4.	4.	3.	0.	0.
-33.0	26.	26.	26.	26.	26.	25.	25.	24.	24.	23.	22.	20.	19.	17.	14.	12.	9.	6.	4.	4.	3.	0.	0.
-37.5	16.	16.	16.	16.	16.	16.	15.	15.	15.	14.	14.	13.	12.	11.	10.	8.	6.	4.	3.	4.	2.	0.	0.
-42.5	10.	10.	10.	10.	10.	10.	10.	10.	10.	9.	9.	8.	7.	7.	6.	4.	3.	3.	3.	2.	0.	0.	0.
-47.5	7.	7.	7.	7.	7.	7.	7.	6.	6.	6.	5.	5.	5.	5.	4.	3.	2.	2.	2.	2.	0.	0.	0.
-55.0	4.	4.	4.	4.	4.	4.	4.	3.	3.	3.	3.	3.	3.	3.	3.	2.	2.	2.	2.	2.	1.	0.	0.
-65.0	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	1.	1.	1.	1.	1.	1.	0.	0.
-75.0	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	0.	0.	0.
-85.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
-90.0	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.

BEAM EDGE = 372. CP = 50% OF MAX  
FIELD EDGE = 74. CP = 10% OF MAX

THIS REPORT IS BASED ON PUBLISHED INDUSTRY PROCEDURES. FIELD PERFORMANCE MAY DIFFER FROM LABORATORY PERFORMANCE.



INDEPENDENT TESTING LABORATORIES, INC.  
3386 LONGHORN ROAD, BOULDER, CO 80302 USA

PHONE: (303)442-1255 • FAX: (303)449-5274 • E-MAIL: [itl@itlboulder.com](mailto:itl@itlboulder.com) • WEBSITE: [www.itlboulder.com](http://www.itlboulder.com)

REPORT NUMBER: ITL63766  
PREPARED FOR: B-K LIGHTING, INC.

DATE: 01/04/10  
REVISED: 02/02/10

CANDELA TABULATION - FIELD ONLY

PAGE 3

AVERAGE OF RIGHT AND LEFT SIDES

	0.0	1.0	3.0	5.0	7.0	9.0	11.0	13.0	15.0	17.0	19.5	22.5	25.5	29.0	33.0	37.5	42.5	47.5	55.0	65.0	75.0	85.0	90.0
90.0																							
85.0																							
75.0																							
65.0																							
55.0																							
47.5																							
42.5																							
37.5																							
33.0																							
29.0																							
25.5																							
22.5	85.	85.	84.	83.	81.	79.	77.																
19.5	126.	126.	125.	122.	120.	116.	112.	108.	103.	97.	90.	81.											
17.0	174.	174.	172.	169.	165.	160.	154.	147.	140.	132.	121.	108.	95.	79.									
15.0	225.	224.	222.	218.	212.	205.	197.	188.	179.	168.	154.	136.	118.	97.	75.								
13.0	287.	286.	283.	278.	270.	261.	250.	238.	226.	211.	193.	169.	145.	118.	90.								
11.0	361.	360.	356.	348.	338.	326.	312.	296.	280.	262.	238.	208.	176.	142.	106.								
9.0	443.	443.	438.	428.	416.	399.	381.	362.	341.	318.	288.	250.	210.	167.	122.	82.							
7.0	531.	530.	523.	511.	496.	476.	453.	429.	405.	376.	339.	293.	244.	192.	138.	91.							
5.0	614.	613.	605.	592.	572.	548.	522.	494.	465.	432.	388.	333.	276.	214.	152.	99.							
3.0	684.	683.	673.	657.	636.	609.	579.	547.	514.	477.	428.	366.	302.	233.	164.	105.							
1.0	729.	728.	718.	700.	677.	647.	615.	581.	546.	507.	454.	387.	319.	244.	171.	109.							
0.0	740.	738.	728.	711.	687.	657.	624.	590.	554.	514.	460.	392.	323.	247.	173.	110.							
-1.0	743.	741.	731.	713.	689.	659.	626.	592.	556.	515.	462.	394.	324.	248.	173.	110.							
-3.0	723.	721.	711.	694.	671.	641.	610.	577.	542.	502.	450.	385.	317.	243.	170.	108.							
-5.0	672.	670.	662.	646.	624.	598.	569.	538.	506.	470.	422.	362.	299.	231.	162.	104.							
-7.0	599.	598.	590.	576.	558.	535.	509.	483.	454.	423.	380.	328.	273.	212.	151.	98.							
-9.0	514.	513.	506.	494.	479.	460.	439.	417.	396.	366.	331.	287.	241.	189.	136.	90.							
-11.0	425.	426.	420.	412.	399.	384.	367.	349.	329.	308.	279.	244.	206.	164.	120.	80.							
-13.0	344.	344.	339.	333.	323.	312.	298.	284.	269.	252.	230.	202.	172.	139.	103.								
-15.0	272.	271.	269.	263.	256.	248.	237.	227.	215.	202.	185.	164.	141.	115.	88.								
-17.0	211.	211.	209.	205.	200.	194.	186.	178.	170.	160.	147.	131.	114.	95.									
-19.5	152.	152.	150.	148.	145.	140.	135.	130.	124.	117.	109.	98.	86.										
-22.5	101.	101.	100.	99.	97.	95.	92.	89.	85.	81.	76.												
-25.5																							
-29.0																							
-33.0																							
-37.5																							
-42.5																							
-47.5																							
-55.0																							
-65.0																							
-75.0																							
-85.0																							
-90.0																							

BEAM EDGE = 372. CP = 50% OF MAX  
FIELD EDGE = 74. CP = 10% OF MAX

THIS REPORT IS BASED ON PUBLISHED INDUSTRY PROCEDURES. FIELD PERFORMANCE MAY DIFFER FROM LABORATORY PERFORMANCE.



INDEPENDENT TESTING LABORATORIES, INC.  
3386 LONGHORN ROAD, BOULDER, CO 80302 USA

PHONE: (303)442-1255 • FAX: (303)449-5274 • E-MAIL: [itl@itlboulder.com](mailto:itl@itlboulder.com) • WEBSITE: [www.itlboulder.com](http://www.itlboulder.com)

REPORT NUMBER: ITL63766  
PREPARED FOR: B-K LIGHTING, INC.

DATE: 01/04/10  
REVISED: 02/02/10


LUMEN TABULATION

PAGE 4

AVERAGE OF RIGHT AND LEFT SIDES

	0	2	4	6	8	10	12	14	16	18	21	24	27	31	35	40	45	50	60	70	80	90	TOTAL
90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
35	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.9
31	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	1.4
27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	1.6
24	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	2.2
21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	3.1
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	2.8
16	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	3.5
14	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	4.4
12	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	5.4
10	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.4	0.3	0.4	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	6.5
8	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.6	0.5	0.4	0.4	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	7.7
6	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.5	0.5	0.7	0.6	0.5	0.5	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	8.7
4	0.8	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.7	0.6	0.5	0.5	0.3	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	9.6
2	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.8	0.7	0.5	0.5	0.3	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	10.2
0	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.8	0.7	0.5	0.5	0.4	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	10.4
-2	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.8	0.7	0.5	0.5	0.3	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	10.1
-4	0.8	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.7	0.6	0.5	0.5	0.3	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	9.5
-6	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.7	0.6	0.5	0.5	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	8.6
-8	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.6	0.5	0.4	0.4	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	7.5
-10	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	6.3
-12	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	5.2
-14	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	4.2
-16	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.4
-18	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.7
-21	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.6
-24	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8
-27	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6
-31	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
-35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
-40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
-45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
-50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
-60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
-70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
-80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
-90	12.1	11.9	11.6	11.2	10.8	10.2	9.7	9.1	8.4	11.3	9.6	8.0	8.3	6.0	4.9	2.9	1.5	1.1	0.7	0.3	0.0		149.4

LUMEN TOTAL THIS PAGE = 149.4



**itl boulder**  
THE LIGHT CENTER OF THE INDUSTRY SINCE 1955

INDEPENDENT TESTING LABORATORIES, INC.  
3386 LONGHORN ROAD, BOULDER, CO 80302 USA

PHONE: (303)442-1255 • FAX: (303)449-5274 • E-MAIL: [itl@itlboulder.com](mailto:itl@itlboulder.com) • WEBSITE: [www.itlboulder.com](http://www.itlboulder.com)

REPORT NUMBER: ITL63766  
PREPARED FOR: B-K LIGHTING, INC.

DATE: 01/04/10  
REVISED: 02/02/10


LUMEN TABULATION - FIELD ONLY

PAGE 5

AVERAGE OF RIGHT AND LEFT SIDES

0	2	4	6	8	10	12	14	16	18	21	24	27	31	35	40	45	50	60	70	80	90	TOTAL
90																						0.0
80																						0.0
70																						0.0
60																						0.0
50																						0.0
45																						0.0
40																						0.0
35																						0.0
31																						0.0
27																						0.0
24																						0.0
21	0.2	0.2	0.2	0.1	0.1	0.1																0.9
18	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2								2.3
16	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2							2.4
14	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2							3.2
12	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.2								4.1
10	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.4	0.4	0.3	0.3	0.2								5.0
8	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.4	0.3	0.4	0.2	0.2							6.3
6	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.6	0.5	0.4	0.4	0.3	0.2							7.4
4	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.5	0.5	0.7	0.6	0.5	0.5	0.3	0.2							8.5
2	0.8	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.7	0.6	0.5	0.5	0.3	0.3							9.4
0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.8	0.7	0.5	0.5	0.3	0.3							10.0
-2	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.8	0.7	0.5	0.5	0.4	0.3							10.1
-4	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.8	0.7	0.5	0.5	0.3	0.3							9.9
-6	0.8	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.7	0.6	0.5	0.5	0.3	0.3							9.2
-8	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.7	0.6	0.5	0.5	0.3	0.2							8.3
-10	0.6	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.6	0.5	0.4	0.4	0.3	0.2							7.2
-12	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.4	0.3	0.3	0.2	0.2							6.1
-14	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.2								4.8
-16	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2							3.9
-18	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2									2.9
-21	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.2										3.0
-24	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2												1.7
-27																						0.0
-31																						0.0
-35																						0.0
-40																						0.0
-45																						0.0
-50																						0.0
-60																						0.0
-70																						0.0
-80																						0.0
-90	11.2	11.1	10.8	10.5	10.0	9.5	8.8	8.2	7.6	10.2	8.5	6.8	6.7	4.3	2.6	0.0	0.0	0.0	0.0	0.0	0.0	126.7

LUMEN TOTAL THIS PAGE = 126.7



**itl boulder**  
THE LIGHT CENTER OF THE INDUSTRY SINCE 1955

INDEPENDENT TESTING LABORATORIES, INC.  
3386 LONGHORN ROAD, BOULDER, CO 80302 USA

PHONE: (303)442-1255 • FAX: (303)449-5274 • E-MAIL: [itl@itlboulder.com](mailto:itl@itlboulder.com) • WEBSITE: [www.itlboulder.com](http://www.itlboulder.com)

REPORT NUMBER: ITL63766  
PREPARED FOR: B-K LIGHTING, INC.

DATE: 01/04/10  
REVISED: 02/02/10

ISOCANDELA CURVES

PAGE 6

AVERAGE OF RIGHT AND LEFT SIDES

