CATALOG NUMBER LOGIC:



#### **CATALOG NUMBER LOGIC**

Example: B - RC6 - BZW

#### **MATERIAL**

(Blank) - Aluminum B - Brass S - Stainless Steel

# **SERIES**

RC6 - Ring Mounted Machined Canopy

# FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)


Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



# SIDE VIEW



# STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

### **PREMIUM FINISHES**



| RC6 (MACHIN            | ORDER FIXTURE SEPARATELY |       |
|------------------------|--------------------------|-------|
| DATE:                  | PROJECT:                 | TYPE: |
| Accessories (Configure | senarately)              |       |

| PHYSICAL | MATERIALS               | Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).   |
|----------|-------------------------|--|
|          | RING MOUNT CANOPY       | Machined aluminum endcap in powder coat finish for maximum corrosion resistance attaches ¾" O.D. black oxide stainless steel mounting ring, which permits cable or hook mounting. Rings are rated at 25lbs. vertical static load under normal installation conditions.   |
|          | INSTALLATION            | For use with 4" recessed octagonal junction box (by others).   |
|          | HARDWARE                | Tamper-resistant, stainless steel mounting hardware. Black oxide treated for additional corrosion resistance.  |
|          | FINISH                  | StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish options available for brass material and metal finish option only for stainless steel material. |
|          | WARRANTY                | 5-year limited warranty.   |
|          | CERTIFICATION & LISTING | Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.  |





CATALOG NUMBER LOGIC:



#### **CATALOG NUMBER LOGIC**

Example: B - RC7 - BZW

#### **MATERIAL**

(Blank) - Aluminum B - Brass S - Stainless Steel

# **SERIES**

RC7 - Ring Mounted Machined Canopy

# FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



# STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

### PREMIUM FINISHES



| RC7 (MACHIN                        | NED CANOPY) | ORDER FIXTURE SEPARA |  |
|------------------------------------|-------------|----------------------|--|
| DATE:                              | PROJECT:    | TYPE:                |  |
| Accessories (Configure songrately) |             |                      |  |

| PHYSICAL | MATERIALS               | Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).   |
|----------|-------------------------|--|
|          | RING MOUNT CANOPY       | Machined aluminum endcap in powder coat finish for maximum corrosion resistance attaches ¾" O.D. black oxide stainless steel mounting ring, which permits cable or hook mounting. Rings are rated at 25lbs. vertical static load under normal installation conditions.   |
|          | INSTALLATION            | For use with 3" recessed octagonal junction box or 3" mud ring on 4" octogonal junction box (by others).   |
|          | HARDWARE                | Tamper-resistant, stainless steel mounting hardware. Black oxide treated for additional corrosion resistance.  |
|          | FINISH                  | StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish options available for brass material and metal finish option only for stainless steel material. |
|          | WARRANTY                | 5-year limited warranty.   |
|          | CERTIFICATION & LISTING | Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.  |





CATALOG NUMBER LOGIC:



#### **CATALOG NUMBER LOGIC**

Example: B - RC8 - BZW

#### **MATERIAL**

(Blank) - Aluminum B - Brass S - Stainless Steel

# **SERIES**

RC8 - Ring Mounted Machined Canopy

# FINISH (See below for full-color swatches)

Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)


Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.


Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)





# SIDE VIEW



# STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

### PREMIUM FINISHES



**B-K LIGHTING** 

**MADE IN THE USA** 

559.438.5800 | INFO@BKLIGHTING.COM |

| RC8 (MACHIN                        | ORDER FIXTURE SEPARATELY |       |
|------------------------------------|--------------------------|-------|
| DATE:                              | PROJECT:                 | TYPE: |
| Accessories (Configure separately) |                          |       |

| PHYSICAL | MATERIALS               | Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).   |
|----------|-------------------------|--|
|          | RING MOUNT CANOPY       | Machined aluminum endcap in powder coat finish for maximum corrosion resistance attaches ¾" O.D. black oxide stainless steel mounting ring, which permits cable or hook mounting. Rings are rated at 25lbs. vertical static load under normal installation conditions.   |
|          | INSTALLATION            | For use with 4" recessed octagonal junction box (by others).   |
|          | HARDWARE                | Tamper-resistant, stainless steel mounting hardware. Black oxide treated for additional corrosion resistance.  |
|          | FINISH                  | StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish options available for brass material and metal finish option only for stainless steel material. |
|          | WARRANTY                | 5-year limited warranty.   |
|          | CERTIFICATION & LISTING | Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.  |





CATALOG NUMBER LOGIC:



#### **CATALOG NUMBER LOGIC**

Example: B - RC9 - BZW

#### **MATERIAL**

(Blank) - Aluminum B - Brass S - Stainless Steel

# **SERIES**

RC9 - Ring Mounted Machined Canopy

# FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)


Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)





# STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

### PREMIUM FINISHES



**B-K LIGHTING** 

**MADE IN THE USA** 

559.438.5800 | INFO@BKLIGHTING.COM |


| RC9 (MACHIN            | NED CANOPY) | ORDER FIXTURE SEPARATELY |
|------------------------|-------------|--------------------------|
| DATE:                  | PROJECT:    | TYPE:                    |
| Accessories (Configure | senaratoly) |                          |

| PHYSICAL | MATERIALS               | Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).   |
|----------|-------------------------|--|
|          | RING MOUNT CANOPY       | Machined aluminum endcap in powder coat finish for maximum corrosion resistance attaches ¾" O.D. black oxide stainless steel mounting ring, which permits cable or hook mounting. Rings are rated at 25lbs. vertical static load under normal installation conditions.   |
|          | INSTALLATION            | For use with 3" recessed octagonal junction box or 3" mud ring on 4" octogonal box (by others).  |
|          | HARDWARE                | Tamper-resistant, stainless steel mounting hardware. Black oxide treated for additional corrosion resistance.  |
|          | FINISH                  | StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish options available for brass material and metal finish option only for stainless steel material. |
|          | WARRANTY                | 5-year limited warranty.   |
|          | CERTIFICATION & LISTING | Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.  |





CATALOG NUMBER LOGIC:



# **CATALOG NUMBER LOGIC**

Example: B - RC10 - BZW

#### **MATERIAL**

(Blank) - Aluminum B - Brass S - Stainless Steel

# **SERIES**

RC10 - Ring Mounted Machined Canopy

# FINISH (See below for full-color swatches)

Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)


Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.


Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)





# SIDE VIEW



# STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

### **PREMIUM FINISHES**



**B-K LIGHTING** 

**MADE IN THE USA** 

559.438.5800 | INFO@BKLIGHTING.COM | BKLIGHTING.COM


| RC10 (MACH             | INED CANOPY) | ORDER FIXTURE SEPARATELY |
|------------------------|--------------|--------------------------|
| DATE:                  | PROJECT:     | TYPE:                    |
| Accessories (Configure | separate(v)  |                          |

| PHYSICAL | MATERIALS               | Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).   |
|----------|-------------------------|--|
|          | RING MOUNT CANOPY       | Machined aluminum endcap in powder coat finish for maximum corrosion resistance attaches ¾" O.D. black oxide stainless steel mounting ring, which permits cable or hook mounting. Rings are rated at 25lbs. vertical static load under normal installation conditions.   |
|          | INSTALLATION            | For use with single gang recessed switch box (by others).  |
|          | HARDWARE                | Tamper-resistant, stainless steel mounting hardware. Black oxide treated for additional corrosion resistance.  |
|          | FINISH                  | StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish options available for brass material and metal finish option only for stainless steel material. |
|          | WARRANTY                | 5-year limited warranty.   |
|          | CERTIFICATION & LISTING | Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.  |





CATALOG NUMBER LOGIC:



#### **CATALOG NUMBER LOGIC**

Example: B - RC11 - BZW

#### **MATERIAL**

(Blank) - Aluminum B - Brass S - Stainless Steel

# **SERIES**

RC11 - Ring Mounted Machined Canopy

# FINISH (See below for full-color swatches)

Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)


Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.


Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)

# FRONT VIEW



# SIDE VIEW



### STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

### PREMIUM FINISHES



**B-K LIGHTING** 

**MADE IN THE USA** 

559.438.5800 | INFO@BKLIGHTING.COM | BKLIGHTING.COM

| RC11 (MACHI            | NED CANOPY) | ORDER FIXTURE SEPARATELY |
|------------------------|-------------|--------------------------|
| DATE:                  | PROJECT:    | TYPE:                    |
| Accessories (Configure | senarately) |                          |

| PHYSICAL | MATERIALS               | Furnished in copper-free aluminum (6061-T6).   |
|----------|-------------------------|--|
|          | RING MOUNT CANOPY       | Machined aluminum endcap in powder coat finish for maximum corrosion resistance attaches ¾" O.D. black oxide stainless steel mounting ring, which permits cable or hook mounting. Rings are rated at 25lbs. vertical static load under normal installation conditions. |
|          | INSTALLATION            | For use with MB2 surface mounting box (specify separately).  |
|          | HARDWARE                | Tamper-resistant, stainless steel mounting hardware. Black oxide treated for additional corrosion resistance.  |
|          | FINISH                  | StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant.   |
|          | WARRANTY                | 5-year limited warranty.   |
|          | CERTIFICATION & LISTING | Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.  |





CATALOG NUMBER LOGIC:



#### **CATALOG NUMBER LOGIC**

Example: B - RC12 - BZW

# **MATERIAL**

(Blank) - Aluminum B - Brass S - Stainless Steel

# **SERIES**

RC12 - Ring Mounted Machined Canopy

# FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)


Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



# SIDE VIEW



### STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

# PREMIUM FINISHES



**B-K LIGHTING** 

**MADE IN THE USA** 

559.438.5800 | INFO@BKLIGHTING.COM |

| RC12 (MACH             | INED CANOPY) | ORDER FIXTURE SEPARATELY |
|------------------------|--------------|--------------------------|
| DATE:                  | PROJECT:     | TYPE:                    |
| Accessories (Configure | separate(v)  |                          |

**CERTIFICATION & LISTING** 

| PHYSICAL | MATERIALS         | Furnished in copper-free aluminum (6061-T6).   |
|----------|-------------------|--|
|          | RING MOUNT CANOPY | Machined aluminum endcap in powder coat finish for maximum corrosion resistance attaches ¾" O.D. black oxide stainless steel mounting ring, which permits cable or hook mounting. Rings are rated at 25lbs. vertical static load under normal installation conditions. |
|          | INSTALLATION      | For use with MB3 surface mounting box (specify separately).  |
|          | HARDWARE          | Tamper-resistant, stainless steel mounting hardware. Black oxide treated for additional corrosion resistance.  |
|          | FINISH            | StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant.   |
|          | WARRANTY          | 5-year limited warranty.   |

Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.



