CONNECT new product highlight

Hume Floodlights on Poles Heartland of America | Omaha, NE Lighting Design: Atelier Ten Photo Credit: Ryan Fischer

SPRING/SUMMER 2024



B-K LIGHTING

CONNECT WITH US AND OUR NEW PRODUCTS

RIOLAZR	4
ΜΙΝΙ Υυκον	6
DEMI	8
DENALI POLE	10
HUME POLE	12
POLE TOP	14
RIO	16
HUME®	18
SQUARE LITESTICK®	20
YUKON® STEPLIGHT	22
YUKON® BOLLARD	24
UNION® BOLLARD	26
ORION 12	28
ALTAIR	30
SURFACE MOUNT ALPINE /	
ALPINE II INTEGRAL	32
COMING SOON	34
CUSTOMS	38



B-K K2 Floodlight NVIDIA Headquarters | Santa Clara, CA Photo Credit: Jason O'Rear

First and only floodlight to incorporate a

360 AIM & LOCK TECHNOLOGY

HIGH INTENSITY CENTER BEAM

/ Uniquely effective in illuminating towering facades and columns, and spotlighting over extended distances.

THREE OPTIC OPTIONS


4°, 5°, 8°

14.5W LASER SOURCE OVER 14,000 CANDELA

B/E CAP

C CAP

6000K CCT




Aim & lock knuckle eliminates need for adjustments 5 individual cap styles to choose from Choose from eight (8) standard, 18 premium finishes, RAL match or custom color match

• Line Voltage; 120 – 277V

No visible hardware around the cap

 Made in the USA with sustainable processes - 5 Year Limited Warranty

true laser diode source.





C CAP



SQUARE







• Available in 2700K, 3000K, 3500K and 4000K CCT

- Choose from eight (8) standard, 18 premium finishes, RAL match or custom color match
- Made in the USA with sustainable processes 5 Year
 Limited Warranty



Introducing a fresh take on our beloved Yukon steplight, the Mini Yukon. Engineered with the same commitment to resilience, functionality, and personalized options that define our products, the Mini Yukon steplight adds a touch of innovation to illuminate pathways and spaces with timeless style.



2 GANG BOX

For installation in standard stud wall construction 7 entry holes with 3/4" threads, 6 plugs included

NO VISIBLE HARDWARE

INTEGRAL DRIVER


ELV, INC, and 0-10V dimming 120-277 VAC

8W; OVER 500 DELIVERED LUMENS

80 or 90 CRI with 4 CCT options 7W amber option

TWO OPTIC ORIENTATIONS

Wide throw or forward throw



DEMI

FIVE OPTIC OPTIONS

7°, 10°, 17.5°, 30°, 41°


9W; UP TO 518 DELIVERED LUMENS

80 CRI with 4 CCT options

FIVE CAP STYLES


45°, 45° less weep hole, 90°, 90° less weep hole, flush


INTEGRAL DRIVER




C CAP 2 9/16' [55mm] 1 5/8' [41mm] 3403L Knuckle DEMI CATENARY

in a small package.







8

FLOODLIGHT

DEMI

0

1 5/8" [41mm] Introducing the Demi family of integral fixtures. Available as a floodlight, catenary, and surface mount, the Demi is one of our smallest line voltage integral fixtures yet. Don't let its size fool you. The Demi packs powerful performance

- Choose from eight (8) standard colors, 18 premium finishes, RAL match or custom color match
- Made in the USA with sustainable processes 5 Year
 Limited Warranty

DENALI INTEGRAL POLE

Convenience comes with acquiring both your pole and your fixtures from B-K Lighting. Our new Denali Integral Pole has square or round options at varying heights.

Integral power supply

• 2700K, 3000K, 3500K and 4000K CCT; 80 or 90 CRI

- Choose from eight (8) standard colors, 18 premium finishes, RAL match or custom color match
- Made in the USA with sustainable processes - 5 Year Limited Warranty

MOUNT UP TO 4 FIXTURES /

Horizontal Vertical Spiral (90° clockwise spacing)

HANDHOLE COVER

14" From base of pole 2" X 4" (round pole) 3" X 5" (square pole)

*Available configurations may be limited based on pole height.

DENALI INTEGRAL

13W & 21W Up to 6500 delivered lumens (with 4 fixtures) ELV, INC, 0-10V integral dimming Three optic options

ROUND OR SQUARE POLE 4" DIAMETER 8'*, 10'*, 12', 16', 20' HEIGHT

Aluminum or steel







- Choose from eight (8) standard colors, 18
 premium finishes, RAL match or custom
 color match
- Made in the USA with sustainable processes -5 Year Limited Warranty

HUME POLE

Our new Hume Pole elevates the ambiance of parks, streetscapes, and architectural landscapes. Crafted with precision and designed for durability, you can expect quality every time.

HUME

34W & 36W Up to 14,500 delivered lumens (with 4 fixtures) ELV, INC, 0-10V integral dimming Four optic options

HANDHOLE COVER

14" From base of pole 2" X 4" (round pole) 3" X 5" (square pole)

Hume Floodlights on Poles Heartland of America | Omaha, NE Lighting Design: Atelier Ten Photo Credit: Ryan Fischer

MOUNT UP TO 4 FIXTURES

Horizontal Vertical Spiral (90° clockwise spacing)

ROUND OR SQUARE POLE 4" DIAMETER 8'*, 10'*, 12', 16', 20' HEIGHT

Aluminum or steel

*Available configurations may be limited based on pole height.

POLETOP

MOUNT UP TO 4 FIXTURES

ROUND POLE BODY

in

2 3/8" diameter & 24 1/4" height


MACHINED ALUMINUM SLIP FIT BASE FOR USE WITH 2 3/8" DIA. X 4" TALL TENON



The Pole Top can be outfitted with the designer's choice of 3 different B-K integral floodlight models: Denali, Hume, or Rio. A product like this gives you the ability to modify an existing pole and add lighting precisely where desired.

- Integral power supply
- Rio: 14W; up to 3400 delivered lumens (4 fixtures)
- Denali Integral: 13W & 21W; up to 6500 delivered lumens (4 fixtures)
- Hume: 34W or 36W; up to 14,500 delivered lumens (4 fixtures)

- Multiple options for caps, optics, dimming and more
- 2700K, 3000K, 3500K and 4000K CCT
- Choose from eight (8) standard colors, 20 premium finishes, RAL match or custom color match
- Made in the USA with sustainable processes -5 Year Limited Warranty



Shown with four Denali Integral Fixtures at 90°






THREE CAP STYLES

Cohesive body design





HUME

A jack of all trades, our Hume[®] fixture is a simplistic styled luminaire that delivers remarkable performance and versatile mounting options for any interior or exterior application. Mount it on a wall, on a pole or recessed from up high and customize its throw for the illumination you want right where you want it.

• Integral power supply

- 2700K, 3000K, 3500K and 4000K CCT
- 11° narrow spot and 25° narrow flood for more precise aiming or 43° flood and 56° wide flood for a wider beam spread
- Choose from eight (8) standard colors, 18 premium finishes, RAL match or custom color match
- Made in the USA with sustainable processes - 5 Year Limited Warranty

INTEGRAL DIMMING DRIVER

ELV, INC, or 0/10V 120-277 VAC

34 OR 36W; UP TO 3600 DELIVERED LUMENS


80 or 90 CRI with 4 CCT options


4" DIAMETER

WATER-TIGHT ANTI-SIPHON PLUG & ANTI-CONDENSATION VENT

 \frown







UPLIGHT HUME

The same quality and power as our Hume floodlight, now available as an uplight. Its range of narrowspot optic to wide flood optic makes it ideal for illuminating various types of architecture.

SIDE KNUCKLE







11 1/8"



Clean, contemporary, and elegant—our Square Litestick[®] offers numerous design options. and can illuminate any landscape while remaining discreet.





Not Pictured: A18 with Field Adjustable Stem Height


- Stability flange prevents movement & shifting after installation
- Tamper-resistant, stainless steel hardware
- Modular design supports easy upgrades
- Choose from eight (8) standard colors, 18 premium finishes, RAL match or custom color match
- Made in the USA with sustainable processes 5 Year Limited Warranty



YUKONSTEPLIGHT


Our Yukon[®] Steplight blends seemlessly into any step or wall while providing functional well distributed illumination.


- Direct (10W; up to 499 delivered lumens)
- Indirect (12W; up to 481 delivered lumens)
- Three dimming options; ELV, INC, or 0/10V
- Adjustable heat sink allows for distribution adjustment in the field
- CCT 2700K, 3000K, 3500K and 4000K, 80 or 90 CRI
- High performance illumination allows for larger fixture spacing
- Adjustable recessed housing accommodates surrounding surface elements for a clean application
- Made in the USA with sustainable processes 5 Year Limited Warranty




LOUVERED

VISOR







	J	·

		1
-		
~		
۴		



INTEGRAL DRIVER

MT 120-277V ELV, INC or 0-10V dimming

YUKON[®] BOLLARD

The Yukon® Bollard utilizes the Yukon Indirect Steplight, offering a beautiful aesthetic match between the two when placed in proximity to one another. The Yukon delivers impressive performance in its wide soft forward lumination, and like all

훕칠

0

of our fixtures, is built to last.



80 OR 90 CRI with 4 CCT options including 3500K

STAINLESS STEEL

ANCHOR PLATE &

ALUMINUM BASE

MACHINED

ahead


IN-USE RECEPTACLE OPTION


Dual GFCI and USB combinations available

RECEPTACLE LOCATED 15" ABOVE GROUND

Meets ADA requirements

STANDARD & LOUVERED FACEPLATE OPTIONS





STANDARD

LOUVERED


- Tamper Resistant locking hardware
- Electrical quick disconnects permits field maintenance
- Choose from eight (8) standard, 18 premium finishes, RAL match or custom color match
- Made in the USA with sustainable processes 5 Year Limited Warranty



42" H x 11" W x 6" D

TWO BACKPLATE OPTIONS

*Stepped for use with standard faceplate only.





A functional high output bollard— The Union provides a clean modern design along with a heightened level of utility through its various mounting configurations, tamper resistant hardware and optional flush receptacle.

INTEGRAL DIMMING DRIVER

ELV, INC, or 0-10V 120-277 VAC

EXTRUDED ALUMINUM BODY


FULLY MACHINED MOUNTING BASE Black anodized finish


20W; UP TO 1292 **DELIVERED LUMENS** MODULAR LED SOURCE WITH TYPE II DISTRIBUTION Available in 2700K, 3000K, 3500K, 4000K with 80 CRI Wide or forward throw FLUSH RECEPTACLE OPTION Allows for use of GFCI, Data or USB outlets

42" HEIGHT

Standard 4" square anchor base mounting

- Options include powered Duplex-GFCI, USB or RJ45
- Anchor base mounting
- Tamper resistant locking hardware
- Electrical quick disconnects permits field maintenance
- Choose from eight (8) standard colors , 18 premium finishes, RAL match or custom color match
- $\ensuremath{\cdot}$ Made in the USA with sustainable processes 5 Year Limited Warranty





ORION[™] 12 Floodlight

0

The Orion 12 takes inspiration from the brilliance and luminance of the stars themselves, delivering beautiful and precise illumination that maintains its radiance under the night sky. Its aluminum housing makes for a highly resilient fixture, fit for any of your project needs.

ROUND, 12" DIAMETER HOUSING

Material: Aluminum

6 ACCESSORY OPTIONS

3-sided shield 4-sided shield Fixed louver shield (external) Lexan shield Top shield Egg-crate louver

INTEGRAL DRIVER

0-10V Dimming


6 OPTIC OPTIONS


Very narrow spot (7.5°) Spot (16°) Medium flood (37°) Flood (46.8°) Wide flood (58°) Asymmetric (86° x 74°)

90W LED ARRAY UP TO 11,000 DELIVERED LUMENS


120-277 VAC 5 CCT options

Shown w/ egg-crate louver + yoke mount









- 2700K, 3000K, 3500K and 4000K CCT
- Choose from eight (8) standard colors, 18 premium finishes, RAL match or custom color match
- Made in the USA with sustainable processes
 5 Year Limited Warranty

10 MOUNTING OPTIONS

- Yoke Mount
- Yoke Mount with Horizontal Sector
- Yoke Mount with Mounting Stud
- Yoke Mount with Slipfitter
- Yoke Mount with Slipfitter and Mounting Plate
- Yoke Mount Wall Pole Mounting Arm
- Yoke Mount with Wall Bracket
- Knuckle Slipfitter
- Knuckle Slipfitter with Mounting Plate
- Knuckle Slipfitter with Wall Pole
 Mounting Arm

ALTAIR'

The Altair was named after the brightest star in our constellation for a reason. Beaming with brilliance, this fixture brings the luminosity of the stars above down to you in a stylish and durable design.







INTEGRAL DRIVER

0-10V dimming for 90W option

90W or 146W LED ARRAY UP TO 15,000 DELIVERED LUMENS 120 VAC - 277 VAC 5 CCT options 0 6 OPTIC OPTIONS Very Narrow Spot (8°) Spot (16°) Medium Flood (37°) Flood (46°) Wide Flood (58°) Asymmetric (86°x74°) **5 ACCESSORY OPTIONS**

3-sided shield 4-sided shield Fixed louver shield (external) Lexan shield Top shield


Integral power supply

• 2700K, 3000K, 3500K and 4000K CCT

- Choose from eight (8) standard colors, 18
 premium finishes, RAL match or custom color
 match
- Made in the USA with sustainable processes
 5 Year Limited Warranty

10 MOUNTING OPTIONS

- Yoke Mount
- Yoke Mount with Horizontal Sector
- Yoke Mount with Mounting Stud
- Yoke Mount with Slipfitter
- Yoke Mount with Slipfitter and Mounting Plate
- Yoke Mount Wall Pole Mounting Arm
- Yoke Mount with Wall Bracket
- Knuckle Slipfitter
- Knuckle Slipfitter with Mounting Plate
- Knuckle Slipfitter with Wall Pole
 Mounting Arm





Shown w/ yoke mount

Charlotte Douglas International Airport, NC

ALPINE & ALPINE II SURFACE MOUNT INTEGRAL DOWNLIGHT



5 1/2" DIAMETER HOUSING

Machined Aluminum Canopy


2 OPTIC OPTIONS

Batwing Wall Wash

4 OPTIC OPTIONS

Narrow Spot (18°) Narrow Flood (25°) Flood (40°) Wide Flood (60°)


ALPINE II




- ELV, INC, or 0-10V dimming
- 2 cap styles: flush & 90° less weephole
- 2700K, 3000K, and 4000K CCT; 80 CRI
- Choose from eight (8) standard colors, 18 premium finishes, RAL match or custom color match
- Made in the USA with sustainable processes - 5 Year Limited Warranty

The Alpine and Alpine II continuously impress with their high quality output while their compact design ensures the fixture fits into nearly any setting. These surface mount downlights are favorites for multiple reasons: industry leading efficacy, high performance illumination and a well-controlled beam spread. Now with the addition of a brand new integral driver, a clean install is guaranteed in any application.

ALPINE






C CAP X7.Y 5 3/4" [146mm]


ALPINE II

E CAP



32





ine Surface Mount Downlin Powell Street Station | San Francisco, CA

SOON

CYPRESS CRASH-RATED BOLLARD







THREE LIT CAP OPTIONS

FOUR NON-LIT CAP OPTIONS





SEEN IT BEFORE

Discover the forthcoming *Rio Pole* and *Rio Floodlight Expansion*, offering a harmonious blend of form and function, all underscored by our commitment to lasting excellence.

Mini Yukon Bollard

MINI

- YUKON IN TWO SPECTACULAR NEW FORMATS

The *Mini Yukon Bollard* infuses the classic Yukon series aesthetic with a fresh, compact perspective.

The *Surface Mount Mini Yukon* offers an effortlessly modern solution for wall applications.

These two new additions present the hallmark durability, performance, and tailored features of our Mini Yukon steplight, all elegantly embodied in a familiar design.

B-K CUSTOMS PROCESS

1 | CUSTOMER 2 | INSPIRATIONAL **VISION &** PRODUCT REQUEST



B-K customs Have a unique project with custom needs?

The B-K Customs team is here to create an inspired solution that will make your lighting vision come to life, on time and on budget.

> Visit www.bklighting.com or email us at customs-rfp@bklighting.com to get started.

EQUAL TO

OLYMPUS CUSTOM Changed the profile of the Olympus from round to square

38

3 | CONCEPT

DRAWINGS

4 | QUOTE 5 | MECHANICAL DRAWINGS

6 PRODUCTION & DELIVERY

Custom Low Voltage Glow Columns Post HTX | Houston, TX Photo Credit: Alfredo Diaz

> Inspired Solutions for Inspiring Projects. Bring us yours.

The mission of

B-K LIGHTING

is to provide the lighting profession with the highest quality,

most innovative, fairly priced lighting fixtures and services available.

To do so in a profitable, responsible, and cost effective manner,

and to do so in a company environment

of cooperation and creativity.



info@bklighting.com | 559.438.5800 www.bklighting.com

Proud corporate member of these organizations:



