CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - BC6 - BZW

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

BC6 - Machined Canopy

FINISH (See below for full-color swatches)

Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)


Also available in RAL Finishes.


Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)

FRONT VIEW

SIDE VIEW






STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

PREMIUM FINISHES



B-K LIGHTING

MADE IN THE USA

559.438.5800 | INFO@BKLIGHTING.COM |

BC6 (MACHII	NED CANOPY)	ORDER FIXTURE SEPARA	
DATE:	PROJECT:	TYPE:	
Accessories (Configure	separately)		

PHYSICAL	MATERIAL S	Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304),

5" diameter canopy. Machined from solid billet with chamfered edge. 7/8" dia. slip hole for use with 1/2" I.P. **CANOPY**

threaded nipple. Two (2) holes for #10 mounting screws (by others).

INSTALLATION For use with 4" recessed octagonal junction box (by others).

StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to **FINISH**

application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish options available for brass material and metal finish option only for stainless steel material.

WARRANTY 5-year limited warranty.





CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - BC7 - BZW

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

BC7 - Machined Canopy

FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

PREMIUM FINISHES




BC7 (MACHIN	NED CANOPY)	ORDER FIXTURE SEPARATELY
DATE:	PROJECT:	TYPE:
Accessories (Configure separately)		

PHYSICAL	MATERIALS	Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).
	CANOPY	$3-\frac{1}{2}$ " diameter canopy. Machined from solid billet with chamfered edge. $7/8$ " dia. slip hole for use with $1/2$ " I.P. threaded nipple. Two (2) holes for #10 mounting screws (by others).
	INSTALLATION	For use with 3" recessed octagonal junction box or 3" mud ring on 4" octogonal junction box (by others).
	FINISH	StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish options available for brass material and metal finish option only for stainless steel material.
	WARRANTY	5-year limited warranty.
	CERTIFICATION & LISTING	Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.





CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - BC8 - BZW

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

BC8 - Machined Canopy

FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

PREMIUM FINISHES



BC8 (MACHII	NED CANOPY)	ORDER FIXTURE SEPARATELY
DATE:	PROJECT:	TYPE:
Accessories (Configure	separately)	

PHYSICAL	MATERIALS	Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).
	CANOPY	5" square canopy. Machined from solid billet with chamfered edge. 7/8" dia. slip hole for use with 1/2" I.P.

INSTALLATION For use with 4" recessed octagonal junction box (by others).

FINISH StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to

application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish options available for brass material and metal finish option only for stainless steel material.

WARRANTY 5-year limited warranty.

CERTIFICATION & LISTING Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.



SUB001726

CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - BC9 - BZW

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

BC9 - Machined Canopy

FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes. Click here to see finishes on our website.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

PREMIUM FINISHES



BC9 (MACHIN	NED CANOPY)	ORDER FIXTURE SEPARAT
DATE:	PROJECT:	TYPE:
Accessories (Configure	senarately)	

PHYSICAL	MATERIALS	Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).
	CANOPY	$3-\frac{1}{2}$ " square canopy. Machined from solid billet with chamfered edge. $7/8$ " dia. slip hole for use with $1/2$ " I.P. threaded nipple. Two (2) holes for #10 mounting screws (by others).
	INSTALLATION	For use with 3" recessed octagonal junction box or 3" mud ring on 4" octogonal box (by others).
	FINISH	StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish options available for brass material and metal finish option only for stainless steel material.
	WARRANTY	5-year limited warranty.
	CERTIFICATION & LISTING	Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.





CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - BC10 - BZW

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

BC10 - Machined Canopy

FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

PREMIUM FINISHES



B-K LIGHTING

MADE IN THE USA

559.438.5800 | INFO@BKLIGHTING.COM |

BC10 (MACH	INED CANOPY)	ORDER FIXTURE SEPARATELY
DATE:	PROJECT:	TYPE:
Accessories (Configure	separately)	

PHYSICAL	MATERIALS	Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).
	CANOPY	3" x 5" rectangular canopy. Machined from solid billet with chamfered edge. 7/8" dia. slip hole for use with 1/2" I.P. threaded nipple. Two (2) holes for #6 flathead mounting screws (by others).
	INSTALLATION	For use with single gang recessed switch box (by others).
	FINISH	StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish options available for brass material and metal finish option only for stainless steel material.
	WARRANTY	5-year limited warranty.
	CERTIFICATION & LISTING	Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.





CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - BC11 - BZW

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

BC11 - Machined Canopy

FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

PREMIUM FINISHES



BC11 (MACHI	NED CANOPY)	ORDER FIXTURE SEPARATELY
DATE:	PROJECT:	TYPE:
Accessories (Configure separately)		

PHYSICAL	MATERIALS	Furnished in copper-free aluminum (6061-T6).
	CANOPY	$4-5/8" \times 2-7/8"$ rectangular canopy. Machined from solid billet with chamfered edge. $7/8"$ dia. slip hole for use with $1/2"$ I.P. threaded nipple. Two (2) holes for #6 flathead mounting screws.
	INSTALLATION	For use with MB2 surface mounting box (specify separately).

FINISH StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant.

WARRANTY 5-year limited warranty.





CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - BC12 - BZW

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

BC12 - Machined Canopy

FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

PREMIUM FINISHES



BC12 (MACH	NED CANOPY)	ORDER FIXTURE SEPARATELY
DATE:	PROJECT:	TYPE:
Accessories (Configure	senarate(v)	

CERTIFICATION & LISTING

PHYSICAL	MATERIALS	Furnished in copper-free aluminum (6061-T6).	
	CANOPY	4-1/4" round canopy. Machined from solid billet with chamfered edge. 7/8" dia. slip hole for use with 1/2" I.P. threaded nipple. Two (2) holes for #10 mounting screws.	
	INSTALLATION	For use with MB3 surface mounting box (specify separately).	
	FINISH	StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant.	
	WARRANTY	5-year limited warranty.	

Suitable for indoor or outdoor use. RoHS Compliant. Made in USA with sustainable processes.



CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - SMC - BZP

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

SMC - Surface Mount Canopy

FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

PREMIUM FINISHES



SURFACE MOUNT CANOPY (LOW VOLTAGE / LED)

ORDER FIXTURE SEPARATELY

DATE:	PROJECT:	TYPE:
DAIL.	THOJECT.	1 11 -

Accessories (Configure separately)

SPECIFICATIONS

PHYSICAL MATERIALS Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).

> 2 9/16" diameter canopy. Machined from solid billet with chamfered edge. 7/8" dia. slip hole for use with 1/2" **CANOPY**

I.P. threaded nipple.

INSTALLATION Machined canopy with two (2) 3/16" anchor bolt holes (hardware by others).

FINISH StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to

application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish

options available for brass material and metal finish option only for stainless steel material.

WARRANTY 5-year limited warranty.





PROJECT: TYPE DATE

CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - SMJ - BZP

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

SMJ - Surface Mount Juncation Box

FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

(Also available in RAL Finishes. See submittal SUB-1439-00)

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



PREMIUM FINISHES

STANDARD FINISHES



Click Here to view larger, full-color swatches of all available finishes on our website.



MADE IN THE USA

Weathered Iron

(WIR)

559.438.5800 | INFO@BKLIGHTING.COM |

Cream

(CRM)

Clear Anodized

Powder (CAP)

Natural Brass Powder (NBP)

Antique White

(AQW)

SURFACE MOUNT JUNCTION BOX (LOW VOLTAGE / LED)

ORDER FIXTURE SEPARATELY

DATE:	PROJECT:	TYPE:

Accessories (Configure separately)

SPECIFICATIONS

PHYSICAL MATERIALS Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).

> 2 1/4" diameter canopy. Machined from solid billet with chamfered edge. 7/8" dia. slip hole for use with 1/2" **CANOPY**

INSTALLATION Machined anchor base with 7/8" dia. slip conduit hole and two (2) 1/4" anchor bolt holes (hardware by

FINISH StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to

application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish

options available for brass material and metal finish option only for stainless steel material.

WARRANTY 5-year limited warranty.





CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - TMC - BZP

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

TMC - Tree Mount Canopy

FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.

PREMIUM FINISHES



B-K LIGHTING

MADE IN THE USA

559.438.5800 | INFO@BKLIGHTING.COM |

TREE MOUNT CANOPY (LOW VOLTAGE / LED)

ORDER FIXTURE SEPARATELY

DATE: PROJECT: TYPE:

Accessories (Configure separately)

SPECIFICATIONS

PHYSICAL MATERIALS Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).

> 2 1/4" diameter canopy. Machined from solid billet with chamfered edge. 7/8" dia. slip hole for use with 1/2" **CANOPY**

I.P. threaded nipple. Side entry 1/2" dia. wiring hole.

INSTALLATION Machined canopy with 1/2" dia. slip conduit hole and two (2) 3/16" anchor bolt holes (hardware by others).

FINISH StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish

options available for brass material and metal finish option only for stainless steel material.

WARRANTY 5-year limited warranty.





CATALOG NUMBER LOGIC:



CATALOG NUMBER LOGIC

Example: B - SMJ - BZP

MATERIAL

(Blank) - Aluminum B - Brass S - Stainless Steel

SERIES

SMJ - Surface Mount Juncation Box

FINISH (See below for full-color swatches)


Standard Finishes (BZP, BZW, BLP, BLW, WHP, WHW, SAP, VER)

Premium Finish (ABP, AMG, AQW, BCM, BGE, BPP, CAP, CMG, CRI, CRM, HUG, MDS, NBP, OCP, RMG, SDS, SMG, TXF, WCP, WIR)

Also available in RAL Finishes.

Brass Finishes (MAC, POL, MIT)

Stainless Steel Finishes (MAC, POL)



STANDARD FINISHES



<u>Click Here</u> to view larger, full-color swatches of all available finishes on our website.



B-K LIGHTING

MADE IN THE USA

559.438.5800 | INFO@BKLIGHTING.COM |

SURFACE MOUNT JUNCTION BOX (LOW VOLTAGE / LED)

ORDER FIXTURE SEPARATELY

DATE:	PROJECT:	TYPE:

Accessories (Configure separately)

SPECIFICATIONS

PHYSICAL MATERIALS Furnished in copper-free aluminum (6061-T6), brass (360) or stainless steel (304).

> 2 1/4" diameter canopy. Machined from solid billet with chamfered edge. 7/8" dia. slip hole for use with 1/2" **CANOPY**

INSTALLATION Machined anchor base with 7/8" dia. slip conduit hole and two (2) 1/4" anchor bolt holes (hardware by

FINISH StarGuard, our 15-stage chromate-free process cleans and conversion coats aluminum components prior to

application of Class 'A' TGIC polyester powder coating and is RoHS compliant. Powder coat or metal finish

options available for brass material and metal finish option only for stainless steel material.

WARRANTY 5-year limited warranty.



